### Watershed Sub-committee

### **SR522 Results Presentation:**

- Summarize Transportation Impacts
- Characterize Condition of Processes
- Identify Target Landscape Areas
- Identify Local Priority Resource Areas

### Watershed Sub-committee

### **SR522 Results Presentation:**

- Identify Candidate Mitigation Sites
- Provide Priority Mitigation Options
- Provide SR 522 Lessons Learned

## Summary of Watershed Characterization

- Part I Project Site Assessment
- Part II Characterize Conditions and Identify Potential Mitigation Options
- Part III Identify and Assess Potential Mitigation Sites

# Summary of Part I – Impact Assessment

- 1. Loss of 35 acre-feet of water storage
- 2. Increased loading rates for suspended sediments and heavy metals.
- 3. 1.85 acres of wetlands degraded or destroyed


## Summary of Part II, Steps 1 through 3

- Step 1 Establish Spatial Scales
- Step 2 Establish Temporal Scales
- Step 3 Characterize Resource Condition and Process Drivers within the Assessment Area

### Part II, Step 4

### Characterize Condition of Ecological Processes

- 1. Sub-divide composite sub-watershed into 188 (200 to 2000 acre) Drainage Analysis Units using:
  - 10 meter DEM
  - Floodplain features




#### **Methods**


2. Establish landscape indicators used to characterize condition of DAUs


Landscape indicators will require technical documentation and policy concurrence.


- 3. Quantify individual landscape indicators using GIS tools and assign a condition
  - TIA % and forest cover % using current and future land use/land cover data
  - Road density (miles/square mile)
  - Stream channel (% straightened)


- 4. Establish condition rank
- 5. Compile results of all landscape indicators
- 6. Plot results onto DAUs for visual interpretation
















- 7. Team developed rules for determining overall process condition (water)
  - Effective management is source based
  - TIA % considered the strongest driver
  - Forest cover % considered second strongest
  - If TIA % is not properly functioning, then overall condition is not properly functioning

#### **Methods**


8. Overall condition rank for each ecological process is determined






### Part II, Step 5


### **Identify Target Landscape Areas**




Delivery and routing of water drive all the other ecological processes




Extent of wetlands, percent impervious area, and forest cover determine ecological condition





It is essential that watershed characterization include current land-use data. New data sets may be needed.



We can meet stormwater and wetland mitigation needs within the upslope drainages, the assessment area, and the Cathcart sub-watershed

### Part II, Step 6

**Identify Target Resource Areas** 

# Part II, Step 6 Local Priority Areas

- Builds on Step 5
- Identifies local / regional priorities
- Includes state agency watershed efforts
  - 303(d) List
  - TMDLs

### Part II, Step 6 Local Priority Areas

- Use reports and watershed plans
- Communicate with local planning groups
- Tabulate local priorities
- Map priority areas for mitigation needs overlap

### Part II, Step 6 Local Priority Areas

### **Questions to be Answered:**

Where are local priority recovery areas for...

- Fish and wildlife habitat?
- Water quality?
- Water quantity?

### Fish and Wildlife Habitat

#### Three sources were consulted:

- Chinook Salmon Near Term Action Agenda (published)
- Snohomish River Basin Conditions and Issues Report (published)
- Lower Skykomish Habitat Conservation Group (informal discussion)

# **Water Quality**

#### Identify local water quality priorities:

- 303(d) listed water bodies
- Water quality recovery areas from two TMDLs:
  - "Snohomish River Tributaries"
  - "Snohomish River Estuary"

#### **TMDLs**

- Parts of composite sub-watershed included
  - Woods and French Creeks, Snohomish River
- Implementing TMDLs:
  - Follow State Nonpoint Source Management Plan
  - Cooperate and coordinate with local agencies
  - Follow local watershed plans
  - Monitor compliance with NPDES permits

# **Water Quantity**

- Increased peak flows, declining base flows
- No "2514" water quantity planning started
- No local water quantity priorities identified

# Part II, Step 6 Local Priority Areas

#### **Combine Priority Recovery Areas**


- Limit to Cathcart Subwatershed (to conform with other steps)
- Merge data into one GIS coverage
- Coverage will identify all local priorities

# **Examples of Merged Priorities**

• Lake Beecher: Floodplain connectivity, riparian restoration

- Elliott and Anderson Creeks:
  Acquisition, in-stream passage, riparian restoration, LWD
- Mainstem Snohomish floodplain tributaries / side channels:

Naturalize channels, establish forested buffers



# Step 7

**Identify Candidate Mitigation Sites** 

# Part II, Step 7 Candidate Mitigation Sites

#### **Potential Restoration Areas**

- Wetland Restoration
- Upland Depressions
- Riparian Reforestation
- Impervious Surface Removal

#### Potential Restoration Areas in the Cathcart Subwatershed

	Restoration Area Available (acres)								
Landscape									
Feature		Upslop	Assess- ment	Cathcart Sub-					
	EF	Anderson	Elliott	Total	Area	watershed			

**Evans** 

Wetland

**Upland** 

Riparian

**Restoration** 

**Depressions** 

Reforestation

**Impervious** 

Surface Removal

Potential Storage Volumes Available in the Cathcart Subwatershed										
Landscape Feature	Unit Storage (ac-ft/ac)	Storage Available (acre-feet)								
			Upslop	Assess-	Cathcart					
		EF Evans	Anderson	Elliott	Total	ment Area	Sub- watershed			
Wetland Restoration	1.33	102	37	0	139	246	1789			

0

**1.7** 

**22** 

**24** 

1.5

0

7.7

326

**473** 

**35** 

0

12.2

425

683

**35** 

163

**59.6** 

1067

3079

**35** 

0

4.3

91

**132** 

**8.7** 

**Upland** 

Riparian

Reforest.

Surface Removal

**TOTAL** 

**STORAGE** 

**NEEDED** 

**Impervious** 

**Depressions** 

1.33

0.12

0.61


0

**1.7** 

213

317

**25** 



## **Water Quality**

Enhanced water quality treatment standards can be met with upslope restoration activities and BMP treatment of runoff within the project right-of-way

### Conclusions


- 1. Priority Mitigation Options
- 2. Lessons Learned


#### **Cumulative Effects**


- Has been described as death by 1000 cuts
- The solution is not 1000 bandages
- We must maximize the opportunities and resources we have
- Mitigation starts with "do no further harm" and ends with maximizing mitigation potential


#### **Characterization Product**

A series of ranked or prioritized potential mitigation sites that the regional transportation project team can select from.









While the SR 522 project is taking untested concepts and putting them into action, there is substantial work to be done to refine methods

An interdisciplinary technical team is essential to the development, assessment, and interpretation of watershed characterization tools

Adequate GIS support is needed to complete watershed characterization projects

To develop methods most efficiently, key permitting agency staff must work directly on the technical team

Local coordination is an intrinsic part of the watershed characterization process and needs to begin at the earliest stages in the process

Watershed characterization concepts/tools need to be integrated into existing policy, when finalized

Mitigation in advance of a project will require non-project funding sources

An understanding of surface water/groundwater relationships is essential to adequately assessing and mitigating transportation impacts to water movement

Current land use/land cover data are essential to any watershed assessment effort

Appropriate spatial scales for watershed characterization will vary and are dependent on landscape position and surrounding land use

There is substantial value in developing a 6-year transportation plan screening tool that evaluates and identifies projects that would benefit from watershed characterization

There is value in WSDOT
Environmental Staff
participating/cooperating in targeted
local watershed planning efforts

To minimize financial risk to WSDOT, policy guidelines should be developed regarding mitigation in advance of project funding